

RODSUM WIRELESS

INTELLIGENT DISINFECTANT
SPRAY ROBOT



PROTECT IN DAILY LIFE





GOOD FOR VARIOUS LOCATIONS

- School
- Office
- Restaurant
- Sport Center/ Gymnasium
- Clinic
- Bank



ADVANTAGES

- Easy set-up, easy use
- Smart map building
- High-power ultrasonic atomization, no liquid residue
- Special air outlet design, efficient disinfectant spray
- Fully automatic implementation
- Automatic return and recharge when low battery level
- Fully automatic and intelligent obstacle avoidance
- Customizing disinfection schedule, route and time
- Continuous operation up to 6 hours



+852 3113 0637
sales@rodsum.com
rodsumrobotics.com
facebook.com/rodsumrobotics



SPECIFICATIONS

Dimension	W450*H1240*D450(mm)
Net Weight	28.6kg
Tank Capacity	13L
Spraying Flow Rate	Max. 1500mL/hr
Battery Capacity	24V 40AH
Li-ion Battery Life	Max. 6 hr
Battery Recharge	Automatic
Storage Temp.	0°C-50°C
Operating Temp.	0°C-50°C
Sterilizing Standard	Article 95 EC 528/2012 Biocidal Products Regulation
Maximum Speed	0.8m/sec
Max. Surmountable Obstacle	8mm
Floor Conditions	Horizontal
Ramp Angle	5°
Positioning Technology	SLAM
Laser Radar	20m TOF Laser Sensor



+852 3113 0637
sales@rodsum.com.
.rodsumrobotics.com
facebook.com/rodsumrobotics

RODSUMWIRELESS